

DECLARATION OF COMPLIANCE Profile® Star Filter Cartridges AB Style “W” Code

Cartridge Part Numbers

AB W
Table 1 Table 2 Table 3 Table 4

AB TF W
Table 1 Table 3 Table 4

This is a guide to the Part Numbering structure only, for specific options, please contact Pall

Table 1 : Nominal Length

Code	Description
1	25.4 mm (10")
2	508 mm (20")
3	762 mm (30")
4	1016 mm (40")

Table 2 : Removal Rating

Code	Description
A010	1 µm
A015	1.5 µm
A030	3 µm
A050	5 µm
A100	10 µm
A200	20 µm

Table 3 : Adaptor

Code	Description
3	SOE – single open end with flat closed end and external 222 O-rings
7	SOE – single end with fin end, 2 locking tabs and external 226 O-rings
8	SOE – single open end with fin end and external 222 O-rings

Table 4 : O-ring Seal Material

Code	Description
H4	Silicone Elastomer
J	Ethylene Propylene Rubber


Profile Star pleated depth filter cartridges are manufactured using all polypropylene materials

An initial flush is recommended prior to use.

Issued 1 May 2009
 Revised 1 March 2010
 Expires 28 February 2011
 Reference FBDCPROFSTENb
 Page 1 of 3



Peg Peri
 Director of Regulatory Affairs
 Western Hemisphere



Geoff Doubleday
 European Quality Manager

Profile Star Filter Cartridges (AB Style “W” Code)

Components

Filter Media	Polypropylene
Cage, Core, End Cap and Fin End	Polypropylene
Adaptor	Polypropylene with a stainless steel reinforcing ring
O-ring Seal	Ethylene Propylene Rubber (J) or Silicone Elastomer (H4)

Declaration

Profile Star AB style “W” Code filter cartridges comprise of materials that meet regulatory and legislative requirements and guidelines for food contact in that:

- **Europe**

The “W” Code AB style Profile Star filter cartridges meet the requirements for food contact as detailed in European Regulation (EC) Number 1935/2004 in that:

Our suppliers state that the polymeric materials used to produce “W” Code AB style Profile Star products are made from monomers and additives listed in EU Directive 2002/72/EC relating to plastic materials and articles intended to come into contact with foodstuffs (excluding seals).

Migration testing of the filters and components of the Profile Star filters has been performed in simulants A, B and C after flushing and in flow conditions.

Note:

This product contains materials that are subject to Specific Migration Limit (SML) requirements.

This product contains calcium stearate, which is approved as a direct food additive.

- **USA**

The materials of construction meet the FDA requirements for food contact use as detailed in Code of Federal Regulations, 21 CFR paragraphs 170-199:

Polypropylene to 21 CFR section 177.1520 (Olefin polymers)

Ethylene Propylene Rubber and Silicone Elastomeric seal materials to 21 CFR section 177.2600 (Rubber articles intended for repeated use, excluding milk and edible oils)

Process Quality System

Site of Manufacture:

Pall Ilfracombe, UK

The Quality Management System at Pall Ilfracombe is certified to ISO 9001:2008.

These products / product packaging carry a lot number / date code to facilitate traceability to suppliers’ materials and Pall production records.

Supplied in Europe by

Pall Europe Ltd
Europa House
Havant Street
Hampshire
England
PO1 3PD

**Pall Food and Beverage**


New York - USA
+1 516 484 3600 telephone
+1 886 905 7255 toll free

Portsmouth - UK
+44 (0)23 9230 2269 telephone
+44 (0)23 9230 2509 fax
industrialeu@pall.com

Visit us on the web at www.pall.com

Pall Corporation has offices throughout the world. For Pall representatives in your area, please go to www.pall.com/contact.

Because of developments related to products, systems and/or services described herein, the data and procedures are subject to change without notice. Please consult your Pall representative or visit www.pall.com to verify that this information remains valid.

© Copyright 2010, Pall Corporation. Pall,  and Profile are trademarks of Pall Corporation. © indicates a trademark registered in the USA. Filtration.Separation.Solution is a service mark of Pall Corporation.